













- particularly suited for **B**all **G**rid **A**rrays
 - heatsink dimensions match the respective BGA-type
 - can be glued directly on the BGA component
- surface:** black anodised

art. no.			
ICK BGA 10 x 10 WLF ... 10 x 10			
ICK BGA 10 x 10 x 10 WLF ... 10 x 10			
ICK BGA 14 x 14 WLF ... 14 x 14			
ICK BGA 14 x 14 x 10 WLF ... 14 x 14			
ICK BGA 21 x 21 WLF ... 21 x 21			





Heatsinks for BGAs

art. no. ICK BGA 23 x 23 WLF ... 23 x 23		
art. no. ICK BGA 23 x 23 x 10 WLF ... 23 x 23		
art. no. ICK BGA 27 x 27 WLF ... 27 x 27		
art. no. ICK BGA 27 x 27 x 10 WLF ... 27 x 27		
art. no. ICK BGA 27 x 27 x 14 WLF ... 27 x 27		
art. no. ICK BGA 27 x 27 x 22 WLF ... 27 x 27		

B

CDEFGH1KLM

Heatsinks for BGAs

art. no. ICK BGA 40 x 40 WLF ... 40 x 40		
art. no. ICK BGA 40 x 40 x 10 WLF ... 40 x 40		
art. no. ICK BGA 42,5 x 45 WLF ... 42,5 x 45	